

PAC CHOI/BOK CHOY VARIETIES COMPARISON CHART



Joi Choi and Bopak (L to R)



Mei Qing Choi and Li Ren Choi (L to R)

Part #	Variety	Days	Leaf Color	Stem Color	Plant Height	Plant Spacing for Mini Size	Plant Spacing for Full Size
3533	Asian Delight	37	Green	White	4–6"	2–4"	—
4206G CG	NEW Bopak	50	Green	White	12–15"	—	10–12"
507	Joi Choi	50	Green	White	12–15"	—	10–12"
509	Mei Qing Choi	45	Green	Green	8–10"	4"	6–8"
3624	Li Ren Choi	45	Green	Green	3–4"	2–4"	—
2460	Black Summer	45	Dk. Green	Green	10–12"	4"	10–12"
3159	Rosie	45	Red	Green	12"	—	8–10"



Asian Delight



Black Summer



Rosie

Pac Choi/Bok Choy

Brassica rapa var. chinensis

CULTURE: Sow from early spring through midsummer. In the South, pac choy is well adapted for fall plantings. Sow 15 seeds/ft., 1/4" deep in rows 4–12" apart, depending on the variety. Thin plants as recommended in our Pac Choi Comparison Chart. Harvest before flowering.

TRANSPLANTING: Start seeds in 128 or 72-cell trays, 2–4 weeks before transplanting. Plant out before plants become rootbound or stressed to prevent premature bolting.

PESTS: Flea beetles can be controlled by covering with floating row covers from day of sowing.

AVG DIRECT SEEDING RATE: For bunching: 830'/oz., 13,000'/lb. at above spacing.

SEED SPECS: SEEDS/OZ.: Avg. 10,300.

PACKET: 250 seeds, sows 16' full-size.